

# **Technical Specifications**

### Vaxtor Aircraft Identification Number Recognition App

#### **Recognition of ICAO- and FAA-issued identification numbers (AIN)**

The certified Vaxtor Aircraft Identification Number Recognition App recognizes, based on deep learning processes AIN codes (Aircraft Identification Number) which adhere to the International standard. The OCR engine takes advantage of many current integrations and publishing capabilities that have been developed over many years.

- Recognition of ICAO- and FAA-issued identification numbers
- Identification and tracking in real-time during parking, take-off and landing
- Infrastructure expansion possible without having to interfere with existing air traffic processes and operations
- MOBOTIX events via MxMessageSystem
- Consolidated event search via MxManagementCenter Smart Data Interface and / or MOBOTIX HUB
- meta data transfer through generic transmission protocols and / or pre-defined 3rd party interfaces
- Two lists for individual actions (e.g. access granted/denied, alarm, etc.)

**HEVC**Advance™

## MOBOTIX

Beyond Human Vision

#### **Product Information**

| Product Name                         | Vaxtor Aircraft Identification Number Recognition App   |  |
|--------------------------------------|---|--|
| Order Code                           | Mx-APP-VX-AIN   |  |
| Supported MOBOTIX Cam-<br>eras       | Mx-M73A, Mx-S74A  |  |
| Minimum Camera Firmware v7.3.0.x     |   |  |
| MxManagementCenter com<br>patibility | <ul> <li>min. MxMC v2.5.3</li> <li>Configuration: Advanced Config license required</li> <li>Event Search: Smart Data Interface license included</li> </ul>                                |  |
| MOBOTIX HUB com-<br>patibility.      | <ul> <li>min. MOBOTIX HUB version: 2021 R1</li> <li>min. MOBOTIX HUB license level (Analytics Events): L2</li> <li>min. MOBOTIX HUB license level for Event Search Plug-In: L4</li> </ul> |  |

#### **Product Features**

| App Features                             | <ul> <li>Recognition of ICAO- and FAA-issued identification numbers</li> <li>Operations up to a speed of 50 km/h</li> <li>Recognition log (Smart Data / Event Search via MxManagementCenter)</li> <li>MOBOTIX events via MxMessageSystem</li> <li>Two lists for individual actions (e.g. access granted/denied, alarm, etc.)</li> <li>Free flow and Signaled mode</li> </ul> |
|--|--|
| Maximum number of recog-<br>nition areas | 1  |
| Maximum number of enrolled AIN codes     | 5000 per list  |
| Meta Data / Statistic<br>formats         | JSON, XML  |
| Trial License                            | 30-day trial license pre-installed   |
| MxMessageSystem sup-<br>ported           | Yes  |

MOBOTIX Vaxtor Aircraft Identification Number Recognition App

| Integration Interfaces | MxMC Smart Data  |
|------------------------|--|
|                        | IP Notification  |
|                        | <ul> <li>Milestone X-Protect (Analytics Events, Transmission Plug-In)</li> </ul> |
|                        | Network Optix NxWitness  |
|                        | MOBOTIX SYNC   |
|                        | <ul> <li>Genetec Security Center (Custom Events, Bookmarks)</li> </ul>           |
|                        | generic 3rd party integration through  |
|                        | FTP and / or XML / JSON via HTTP(S)  |
|                        | <ul> <li>compare supported camera's interfaces</li> </ul>                        |
| MOBOTIX Events         | Yes  |
| ONVIF Events           | Yes (Generic Message event)  |

#### **Supported Aircraft Identification Numbers**

| Supported Aircraft Iden- | ICAO- and FAA-issued identification numbers |
|--------------------------|---|
| tification Numbers       |   |

#### **Scene Requirements**

| Character Height         | 20рх - 50рх |
|--------------------------|-------------|
| Maximum Vertical Angle   | 30°         |
| Maximum Horizontal Angle | < 25°       |
| Maximum Tilt Angle       | < 25°       |

#### **Technical App Specifications**

| Synchronous / Asyn-<br>chronous App  | asynchronous                              |
|--------------------------------------|---|
| Simultaneous execution of other apps | No  |
| Accuracy                             | min. 99% (considering scene requirements) |
| Processed frame rate                 | typ. 10 fps                               |
| Detection time                       | typ. 300 ms per number                    |



EN\_11/24 MOBOTIX AG • Kaiserstrasse • D-67722 Langmeil • Tel.: +49 6302 9816-103 • sales@mobotix.com • www.mobotix.com MOBOTIX is a trademark of MOBOTIX AG registered in the European Union, the U.S.A., and in other countries. Subject to change without notice. MOBOTIX do not assume any liability for technical or editorial errors or omissions contained herein. All rights reserved. © MOBOTIX